

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Revision: 02.08.2021

Version number: 2.0 Replaces version of: 30.04.2021 (1)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Identification of the substance

Registration number (REACH)

EC number

CAS number

## Diethylenglykol

01-2119457857-21-xxxx 203-872-2 111-46-6

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Industrial use

## 1.3 Details of the supplier of the safety data sheet

FRIEDRICH SCHARR KG Liebknechtstraße 50 70565 Stuttgart Germany

Telephone: +49 711 7868-0 Telefax: +49 711 7868-489 e-mail: info@scharr.de Website: www.scharr.de

e-mail (competent person)

## 1.4 Emergency telephone number

Emergency information service

+49 711 7868-237 This number is only available during the following office hours: Mon-Fri 07:00 - 17:00

produktsicherheit@scharr.de (Produktsicherheit)

Poison centre			
Country	Name	Postal code/city	Telephone
Germany	Giftinformation Freiburg	79106 Freiburg im Bre- isgau	+49 (0)761 19240

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
acute toxicity (oral)	4	Acute Tox. 4	H302
specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Delayed or immediate effects can be expected after short or long-term exposure.

## 2.2 Label elements



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Version number: 2.0 Replaces version of: 30.04.2021 (1) Labelling according to Regulation (EC) No 1272/2008 (CLP) - signal word warning - pictograms GHS07, GHS08 - hazard statements H302 Harmful if swallowed.

H373	May cause damage to organs through prolonged or repeated exposure.
- precautionary	statements
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P501	Dispose of contents/container to industrial combustion plant.

## 2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Name of substance	Diethylenglycol
Identifiers	
REACH Reg. No	01-2119457857-21-xxxx
EC No	203-872-2
CAS No	111-46-6

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	500 <sup>mg</sup> / <sub>kg</sub>	oral

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Version number: 2.0 Replaces version of: 30.04.2021 (1)

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician in any case.

**4.2 Most important symptoms and effects, both acute and delayed** Breathing difficulties. Headache. Vertigo.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Subsequent observance for pneumonia and pulmonary oedema. Supervise the blood circulation.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2), Sand

#### Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Danger of bursting container.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Provision of sufficient ventilation.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Version number: 2.0 Replaces version of: 30.04.2021 (1)

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

- specific designs for storage rooms or vessels

- Recommended storage temperature <40 °C

- Lagerklasse (storage class according to TRGS 510, 10 (combustible liquids) Germany)

#### 7.3 Specific end use(s)

See section 16 for a general overview.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of sub- stance	CAS No	Identifi- er	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Source
AT	Diethyl- englycol	111-46-6	MAK	10	44	40	176	GKV
СН	Diethyl- englycol	111-46-6	MAK	10	44	40	176	SUVA
DE	Diethyl- englycol	111-46-6	AGW	10	44	40	176	TRGS 900

Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Human health values



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Revision: 02.08.2021

Version number: 2.0 Replaces version of: 30.04.2021 (1)

Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	44 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	60 mg/m³	human, inhalatory	worker (industry)	chronic - local effects	
DNEL	43 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects	

## Environmental values

Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental compart- ment	Exposure time		
PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release		
PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)		
PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)		
PNEC	199,5 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	20,9 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	2,09 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)		
PNEC	1,53 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)		

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

## Eye/face protection

Wear eye/face protection.

Skin protection

- hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- type of material

NBR: acrylonitrile-butadiene rubber

- material thickness

0,3 mm

- breakthrough times of the glove material

>480 minutes (permeation: level 6)

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Version number: 2.0 Replaces version of: 30.04.2021 (1)

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	faintly perceptible
Melting point/freezing point	-6,5 °C
Boiling point or initial boiling point and boiling range	244,9 °C at 1.013 hPa
Evaporation rate	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	138 °C at 1.013 hPa
Auto-ignition temperature	372 °C at 1.013 hPa
pH (value)	not determined

## Solubility(ies)

Water solubility	1.000 <sup>g</sup> / <sub>l</sub> at 20 °C
------------------	--

## Partition coefficient

Partition coefficient n-octanol/water (log value)	-1,98
Soil organic carbon/water (log KOC)	0

Vapour pressure 0,008 hPa at 25	°C
---------------------------------	----

## Density and/or relative density

Density	1,18 <sup>g</sup> / <sub>cm³</sub> at 20 °C
---------	---



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Version number: 2.0 Replaces version of: 30.04.2021 (1) Revision: 02.08.2021

Particle characteristics	not relevant (liquid)	
Other information		
Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant	
Other safety characteristics		
Miscibility	Completely miscible with water.	
Temperature class (EU, acc. to ATEX)	T2 (maximum permissible surface temperature on the equip- ment: 300°C)	

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

## 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidisers

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Oral

Harmful if swallowed.

#### - acute toxicity estimate (ATE)

500 <sup>mg</sup>/<sub>kg</sub>

Acute toxicity			
Exposure route	Endpoint	Value	Species
oral	LD50	19.600 <sup>mg</sup> / <sub>kg</sub>	rat
inhalation: dust/mist	LC50	>4,6 <sup>mg</sup> /ı/4h	rat
dermal	LD50	13.300 <sup>mg</sup> / <sub>kg</sub>	rabbit



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Version number: 2.0 Replaces version of: 30.04.2021 (1)

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 1, slightly hazardous to water (Germany)

Endpoint	Value	Species	Exposure time
LC50	75.200 <sup>mg</sup> / <sub>l</sub>	fish	96 h
EC50	>10.000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h

Endpoint	Value	Species	Exposure time
EC50	>10.000 <sup>mg</sup> / <sub>l</sub>	daphnia magna	24 h

### Biodegradation

The substance is readily biodegradable. The relevant substances of the mixture are readily biodegradable. Data are not available.

#### 12.2 Persistence and degradability

Data are not available.



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Version number: 2.0 Replaces version of: 30.04.2021 (1)

## 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	-1,98	
	.,	

## 12.4 Mobility in soil

Henry's law constant	0 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C
The Organic Carbon normalised adsorption coefficient	0 (ЕСНА)

### 12.5 Results of PBT and vPvB assessment

Data are not available.

## **12.6 Endocrine disrupting properties** Not listed.

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### **Relevant provisions relating to waste**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECT	TON 14: Transport information	
14.1	UN number or ID number	not subject to transport regulations
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	none
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

## 14.6 Special precautions for user

There is no additional information.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Version number: 2.0 Replaces version of: 30.04.2021 (1) Revision: 02.08.2021

## Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

Not subject to ADR, RID and ADN.

## International Maritime Dangerous Goods Code (IMDG) - additional information Not subject to IMDG.

## International Civil Aviation Organization (ICAO-IATA/DGR) - additional information Not subject to ICAO-IATA.

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 **Relevant provisions of the European Union (EU)** 

## List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list not listed

## Seveso Directive

2012/	2012/18/EU (Seveso III)		
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier require- ments	Notes
	not assigned		

## VOC Deco-Paint Directive 2004/42/EC

VOC content 100 %

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

## **Regulation on persistent organic pollutants (POP)**

Not listed.

## National regulations (Austria)

Ordinance on combustible liquids (VbF)

not assigned (flash point higher than 100 °C)

## National regulations (Germany)

## Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK 1 slightly hazardous to water (water hazard class) 79

Index number



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Version number: 2.0 Replaces version of: 30.04.2021 (1) Revision: 02.08.2021

## National regulations Switzerland

### Ordinance on the incentive tax on volatile organic compounds (VOCV)

VOC content (object of taxation): 0 %

## **National inventories**

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act
1501	

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
12.6	Endocrine disrupting properties: Information on this property is not available.	Endocrine disrupting properties: Not listed.



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Revision: 02.08.2021

Version number: 2.0 Replaces version of: 30.04.2021 (1)

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
AGW	Workplace exposure limit
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
GKV	Grenzwerteverordnung
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SUVA	Grenzwerte am Arbeitsplatz, Suva
SVHC	Substance of Very High Concern



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Diethylenglykol

Revision: 02.08.2021

Version number: 2.0 Replaces version of: 30.04.2021 (1)

Abbr.	Descriptions of used abbreviations
TRGS	Technische Regeln für GefahrStoffe (technical rules for hazardous substances, Germany)
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.