

acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### **Scharrsol D80**

Version number: 6.0 Revision: 06.09.2022 Replaces version of: 05.04.2022 (5)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Scharrsol D80

Registration number (REACH) 01-2119456620-43-xxxx

EC number 926-141-6
Index number in CLP Annex VI 649-422-00-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Industrial use

#### 1.3 Details of the supplier of the safety data sheet

FRIEDRICH SCHARR KG Liebknechtstraße 50 70565 Stuttgart Germany

Telephone: +49 711 7868-0 Telefax: +49 711 7868-489 e-mail: info@scharr.de Website: www.scharr.de

e-mail (competent person) produktsicherheit@scharr.de

## 1.4 Emergency telephone number

Poison centre

| Country | Name                     | Postal code/city                | Telephone        |
|---------|--------------------------|---------------------------------|------------------|
| Germany | Giftinformation Freiburg | 79106 Freiburg im Bre-<br>isgau | +49 (0)761 19240 |

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Hazard class      | Category | Hazard class and cat-<br>egory | Hazard state-<br>ment |
|-------------------|----------|--------------------------------|-----------------------|
| aspiration hazard | 1        | Asp. Tox. 1                    | H304                  |

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word danger

- pictograms

GHS08



- hazard statements

H304 May be fatal if swallowed and enters airways.

Germany: en Page: 1 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### **Scharrsol D80**

Version number: 6.0 Revision: 06.09.2022 Replaces version of: 05.04.2022 (5)

#### - precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to industrial combustion plant.

#### - supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Hydrocarbons, C11-C14, n-alkane, isoalkane, cyc-

loalkane, <2% aromatic

Identifiers

REACH Reg. No 01-2119456620-43-xxxx

EC No 926-141-6 Index No 649-422-00-2

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulties. Headache. Vertigo.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Subsequent observance for pneumonia and pulmonary oedema. Supervise the blood circulation.

Germany: en Page: 2 / 13

Version number: 6.0 Revision: 06.09.2022 Replaces version of: 05.04,2022 (5)

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2), Sand

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Danger of bursting container.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Avoidance of ignition sources.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Provision of sufficient ventilation.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Germany: en Page: 3 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### **Scharrsol D80**

Version number: 6.0 Revision: 06.09.2022 Replaces version of: 05.04,2022 (5)

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Lagerklasse (storage class according to TRGS 510, 10 (combustible liquids) Germany)

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

| Coun-<br>try | Name of<br>sub-<br>stance  | CAS No     | Identifi-<br>er | TWA<br>[ppm] | TWA [mg/<br>m³] | STEL<br>[ppm] | STEL [mg/<br>m³] | Source |
|--------------|--|------------|-----------------|--------------|-----------------|---------------|------------------|--------|
| СН           | Hydrocar-<br>bons, C11-<br>C14, n-al-<br>kane,<br>isoalkane,<br>cyc-<br>loalkane,<br><2% aro-<br>matic | 64742-47-8 | MAK             | 50           | 350             | 100           | 700              | SUVA   |
| СН           | Hydrocar-<br>bons, C11-<br>C14, n-al-<br>kane,<br>isoalkane,<br>cyc-<br>loalkane,<br><2% aro-<br>matic | 64742-47-8 | MAK             |              | 5               |               |                  | SUVA   |
| DE           | Hydrocar-<br>bons, C11-<br>C14, n-al-<br>kane,<br>isoalkane,<br>cyc-<br>loalkane,<br><2% aro-<br>matic | 64742-47-8 | MAK             |              | 5               |               | 20               | DFG    |

Germany: en Page: 4 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Scharrsol D80

Version number: 6.0 Replaces version of: 05.04.2022 (5) Revision: 06.09.2022

#### Occupational exposure limit values (Workplace Exposure Limits)

| Coun-<br>try | Name of<br>sub-<br>stance  | CAS No     | Identifi-<br>er | TWA<br>[ppm] | TWA [mg/<br>m³] | STEL<br>[ppm] | STEL [mg/<br>m³] | Source   |
|--------------|--|------------|-----------------|--------------|-----------------|---------------|------------------|----------|
| DE           | Hydrocar-<br>bons, C11-<br>C14, n-al-<br>kane,<br>isoalkane,<br>cyc-<br>loalkane,<br><2% aro-<br>matic | 64742-47-8 | MAK             | 50           | 350             | 100           | 700              | DFG      |
| DE           | Hydrocar-<br>bons, C11-<br>C14, n-al-<br>kane,<br>isoalkane,<br>cyc-<br>loalkane,<br><2% aro-<br>matic | 64742-47-8 | AGW             |              | 300             |               | 600              | TRGS 900 |

Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified) TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

#### 8.2 **Exposure controls**

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- type of material

NBR: acrylonitrile-butadiene rubber, FKM: fluoro-elastomer

NBR 0,4 mm FKM 0,7 mm - material thickness

- breakthrough times of the glove material 0,4 mm

>480 minutes (permeation: level 6)

- protective gloves - splash protection

Type of material NBR: acrylonitrile-butadiene rubber

FKM: fluoro-elastomer

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Germany: en Page: 5 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## **Scharrsol D80**

Version number: 6.0 Replaces version of: 05.04.2022 (5)

#### Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Revision: 06.09.2022

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

| Physical state   | liquid  |
|--|---|
| Colour   | colourless  |
| Odour  | characteristic  |
| Melting point/freezing point                             | -45 °C at 1 atm   |
| Boiling point or initial boiling point and boiling range | 203 – 238 °C at 1 atm                                     |
| Evaporation rate   | not determined  |
| Flammability   | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit                          | 0,6 vol% - 7 vol%   |
| Flash point  | 77 °C at 1 atm  |
| Auto-ignition temperature                                | >200 °C at 1 atm  |
| pH (value)   | not determined  |
| Kinematic viscosity                                      | 2,4 <sup>mm²</sup> / <sub>s</sub> at 20 °C                |
| Solubility(ies)  | not determined  |

#### Partition coefficient

| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|
|   |                                   |
| Vapour pressure                                   | 0,02 kPa at 20 °C                 |
| Density and/or relative density                   |                                   |

#### Density and/or relative density

| Density | 0,81 <sup>g</sup> / <sub>cm³</sub> at 15 °C |
|---------|---|
|---------|---|

| Particle characteristics | not relevant (liquid) |
|--------------------------|-----------------------|
|--------------------------|-----------------------|

Germany: en Page: 6 / 13



Version number: 6.0 Revision: 06.09.2022 Replaces version of: 05.04.2022 (5)

#### 9.2 Other information

| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards):<br>not relevant |
|--|--|
| Other safety characteristics                       |  |
| Surface tension                                    | 26 4 mN/ (25 °C)   |

| Surface tension                      | 26,4 <sup>mN</sup> / <sub>m</sub> (25 °C)                            |
|--------------------------------------|--|
| Temperature class (EU, acc. to ATEX) | T3 (maximum permissible surface temperature on the equipment: 200°C) |

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidisers

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity        |          |  |         |
|-----------------------|----------|--|---------|
| Exposure route        | Endpoint | Value                                    | Species |
| oral                  | LD50     | >15.000 <sup>mg</sup> / <sub>kg</sub>    | rat     |
| inhalation: vapour    | LC50     | >4.951 <sup>mg</sup> / <sub>m³</sub> /4h | rat     |
| inhalation: dust/mist | LC50     | >9.300 <sup>mg</sup> / <sub>m³</sub> /4h | rat     |
| dermal                | LD50     | >5.000 <sup>mg</sup> / <sub>kg</sub>     | rabbit  |

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Germany: en Page: 7 / 13



Revision: 06.09.2022

Version number: 6.0 Replaces version of: 05.04.2022 (5)

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### Other information

Repeated exposure may cause skin dryness or cracking.

#### 11.2 Information on other hazards

There is no additional information.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 1, slightly hazardous to water (Germany)

## Aquatic toxicity (acute)

| Endpoint | Value                               | Species               | Exposure time |
|----------|-------------------------------------|-----------------------|---------------|
| LL50     | >1.000 <sup>mg</sup> / <sub>l</sub> | fish                  | 24 h          |
| EL50     | >1.000 <sup>mg</sup> / <sub>l</sub> | aquatic invertebrates | 24 h          |

#### Aquatic toxicity (chronic)

| Endpoint | Value                               | Species | Exposure time |
|----------|-------------------------------------|---------|---------------|
| LL50     | >1.000 <sup>mg</sup> / <sub>l</sub> | fish    | 24 h          |

#### Biodegradation

The substance is readily biodegradable. The relevant substances of the mixture are readily biodegradable. Data are not available.

Germany: en Page: 8 / 13



Version number: 6.0 Revision: 06.09.2022 Replaces version of: 05.04.2022 (5)

#### 12.2 Persistence and degradability

#### Process of degradability

| Process                   | Degradation rate | Time |
|---------------------------|------------------|------|
| oxygen depletion          | 7,3 %            | 4 d  |
| carbon dioxide generation | 0 %              | 3 d  |

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Not listed.

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

#### **SECTION 14: Transport information**

**14.1 UN number or ID number** not subject to transport regulations

**14.2 UN proper shipping name** not relevant

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

## 14.6 Special precautions for user

There is no additional information.

Germany: en Page: 9 / 13



Version number: 6.0 Revision: 06.09.2022 Replaces version of: 05.04,2022 (5)

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### **Information for each of the UN Model Regulations**

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list not listed

#### **Seveso Directive**

| 2012/ | 2012/18/EU (Seveso III)               |   |       |
|-------|---------------------------------------|---|-------|
| No    | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
|       | not assigned                          |   |       |

#### **VOC Deco-Paint Directive 2004/42/EC**

| VOC content | 100 % |
|-------------|-------|
|-------------|-------|

#### **Industrial Emissions Directive (IED)**

| VOC content | 100 % |
|-------------|-------|
|             |       |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on persistent organic pollutants (POP)

Not listed.

**National regulations (Austria)** 

Germany: en Page: 10 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Scharrsol D80

Version number: 6.0 Revision: 06.09.2022 Replaces version of: 05.04.2022 (5)

Ordinance on combustible liquids (VbF)

- VbF (group and hazard class) AIII (combustible liquids of group A, hazard class III)

#### **National regulations (Germany)**

#### Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK

(water hazard class)

1 slightly hazardous to water

Index number

27

## 15.1.3. Technical instructions on air quality control (Germany)

| Number | Group of substances | Class | Conc.    | Mass flow                        | Mass concen-<br>tration          | Notation |
|--------|---------------------|-------|----------|----------------------------------|----------------------------------|----------|
| 5.2.5  | organic substances  |       | ≥ 25 wt% | 0,5 <sup>kg</sup> / <sub>h</sub> | 50 <sup>mg</sup> / <sub>m³</sub> | 3)       |

#### Notation

#### **National regulations Switzerland**

#### Ordinance on the incentive tax on volatile organic compounds (VOCV)

VOC content (object of taxation): 100 % 2710.1991 (petroleum)

#### **National inventories**

| Country | Inventory  | Status              |
|---------|------------|---------------------|
| AU      | AIIC       | substance is listed |
| CA      | DSL        | substance is listed |
| CN      | IECSC      | substance is listed |
| EU      | ECSI       | substance is listed |
| EU      | REACH Reg. | substance is listed |
| KR      | KECI       | substance is listed |
| MX      | INSQ       | substance is listed |
| NZ      | NZIoC      | substance is listed |
| PH      | PICCS      | substance is listed |
| TR      | CICR       | substance is listed |
| TW      | TCSI       | substance is listed |
| US      | TSCA       | substance is listed |

Legend

AIIC Australian Inventory of Industrial Chemicals CICR Chemical Inventory and Control Regulation DSL

**ECSI** 

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC** 

**INSQ** National Inventory of Chemical Substances Korea Existing Chemicals Inventory KECI NZIoC New Zealand Inventory of Chemicals

**PICCS** Philippine Inventory of Chemicals and Chemical Substances (PICCS)

Germany: en Page: 11 / 13

a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## **Scharrsol D80**

Version number: 6.0 Revision: 06.09.2022 Replaces version of: 05.04.2022 (5)

Legend

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value)                     |
|---------|---------------------------|---|
| 1.1     |                           | Index number in CLP Annex VI:<br>649-422-00-2 |
| 3.1     |                           | Index No:<br>649-422-00-2                     |

#### **Abbreviations and acronyms**

| Abbr.    | Descriptions of used abbreviations  |
|----------|---|
| ADN      | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR      | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)   |
| AGW      | Workplace exposure limit  |
| CAS      | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| CLP      | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  |
| DFG      | Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung<br>gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim  |
| DGR      | Dangerous Goods Regulations (see IATA/DGR)  |
| EC No    | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)                                     |
| EINECS   | European Inventory of Existing Commercial Chemical Substances   |
| EL50     | Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms  |
| ELINCS   | European List of Notified Chemical Substances   |
| GHS      | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |
| IATA     | International Air Transport Association   |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO     | International Civil Aviation Organization   |
| IMDG     | International Maritime Dangerous Goods Code   |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008  |

Germany: en Page: 12 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### **Scharrsol D80**

Revision: 06.09.2022

Version number: 6.0 Replaces version of: 05.04.2022 (5)

> Abbr. **Descriptions of used abbreviations** LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a LD50 specified time interval LL50 Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic Parts per million ppm **REACH** Registration, Evaluation, Authorisation and Restriction of Chemicals Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-RID tions concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SUVA Grenzwerte am Arbeitsplatz, Suva **SVHC** Substance of Very High Concern **TRGS** Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany) **TRGS 900** Arbeitsplatzgrenzwerte (TRGS 900) TWA Time-weighted average VbF Ordinance on combustible liquids (Austria) Volatile Organic Compounds VOC vPvB Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text  |
|------|---|
| H304 | May be fatal if swallowed and enters airways. |

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Germany: en Page: 13 / 13