

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name **Bettbahnöl CGLP 220**
Registration number (REACH) Not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Lubricants, greases, release products

1.3 Details of the supplier of the safety data sheet

FRIEDRICH SCHARR KG
Liebknechtstraße 50
70565 Stuttgart
Germany

Telephone: +49 711 7868-0
Telefax: +49 711 7868-489
e-mail: info@scharr.de
Website: www.scharr.de

e-mail (competent person) produktsicherheit@scharr.de

1.4 Emergency telephone number

| Poison centre | | | |
|---------------|--------------------------|----------------------------|------------------|
| Country | Name | Postal code/city | Telephone |
| Germany | Giftinformation Freiburg | 79106 Freiburg im Breisgau | +49 (0)761 19240 |

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Hazard class | Category | Hazard class and category | Hazard statement |
|---|----------|---------------------------|------------------|
| hazardous to the aquatic environment - chronic hazard | 3 | Aquatic Chronic 3 | H412 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word not required
- pictograms not required
- hazard statements
H412 Harmful to aquatic life with long lasting effects.

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

- precautionary statements

P273 Avoid release to the environment.
P501 Dispose of contents/container to industrial combustion plant.

- supplemental hazard information

EUH208 Contains Amine, C10-14-tert-Alkyl-. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.








SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Hazardous ingredients

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|---|--|-----|--|--|
| Amine, C10-14-tert-Alkyl- | EC No 701-175-2 REACH Reg. No 01-2119456798-18- xxxx | < 1 | Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 2 / H330 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 |    |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | CAS No 1213789-63-9 EC No 627-034-4 REACH Reg. No 01-2119473797-19- xxxx | < 1 | Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 STOT RE 2 / H373 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 |     |

| Name of substance | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|---|-----------------------|--|--|--------------------------------------|
| Amine, C10-14-tert-Alkyl- | - | - | >500 mg/kg 251 mg/kg 0,5 mg/l/4h | oral dermal inhalation: vapour |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | - | M-factor (acute) = 10 M-factor (chronic) = 10 | 1.689 mg/kg | oral |

For full text of abbreviations: see SECTION 16.

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulties. Headache. Vertigo.

4.3 Indication of any immediate medical attention and special treatment needed

Subsequent observance for pneumonia and pulmonary oedema. Supervise the blood circulation.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂), Sand

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Danger of bursting container.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Avoidance of ignition sources.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Provision of sufficient ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Lagerklasse (storage class according to TRGS 510, 10 (combustible liquids)
Germany)

7.3 Specific end use(s)

See section 16 for a general overview.

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)
this information is not available

Relevant DNELs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|---|--------------|-----------|------------------------|------------------------------------|-------------------|----------------------------|
| Amine, C10-14-tert-Alkyl- | | DNEL | 12,5 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Amine, C10-14-tert-Alkyl- | | DNEL | 12,1 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | DNEL | 0,38 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | DNEL | 1 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | DNEL | 1 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|---|--------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Amine, C10-14-tert-Alkyl- | | PNEC | 0,001 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Amine, C10-14-tert-Alkyl- | | PNEC | 0 mg/l | aquatic organisms | marine water | short-term (single instance) |
| Amine, C10-14-tert-Alkyl- | | PNEC | 0,635 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Amine, C10-14-tert-Alkyl- | | PNEC | 2,14 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Amine, C10-14-tert-Alkyl- | | PNEC | 0,214 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Amine, C10-14-tert-Alkyl- | | PNEC | 0,428 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | PNEC | 0,26 µg/l | aquatic organisms | freshwater | short-term (single instance) |

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

| Relevant PNECs of components of the mixture | | | | | | |
|---|--------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | PNEC | 0,026 µg/l | aquatic organisms | marine water | short-term (single instance) |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | PNEC | 550 µg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | PNEC | 3,76 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | PNEC | 0,376 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | PNEC | 10 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- type of material

PE: polyethylene, CR: chloroprene (chlorobutadiene) rubber, IIR: isobutene-isoprene (butyl) rubber

- material thickness

> 0,35 mm

- breakthrough times of the glove material

0,4 mm

>120 minutes (permeation: level 4)

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Combination filtering device (EN 141). Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Bettbahnöl CGLP 220Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

| | |
|--|---|
| Physical state | liquid |
| Colour | brown |
| Odour | characteristic |
| Melting point/freezing point | <-10 °C at 1.013 hPa |
| Boiling point or initial boiling point and boiling range | ≥207 °C at 101,3 kPa |
| Evaporation rate | not determined |
| Flammability | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit | 0,6 vol% - 6,5 vol% |
| Flash point | >200 °C |
| Auto-ignition temperature | not determined |
| pH (value) | not determined |
| Kinematic viscosity | 220 mm ² /s at 40 °C |
| Solubility(ies) | not determined |

Partition coefficient

| | |
|---|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|

| | |
|-----------------|-------------------|
| Vapour pressure | <0,1 hPa at 20 °C |
|-----------------|-------------------|

Density and/or relative density

| | |
|---------|----------------------------------|
| Density | 0,893 g/cm ³ at 15 °C |
|---------|----------------------------------|

| | |
|--------------------------|-----------------------|
| Particle characteristics | not relevant (liquid) |
|--------------------------|-----------------------|

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

9.2 Other information

| | |
|--|--|
| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics | there is no additional information |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|---|--------------|--------------------|-------------|
| Name of substance | CAS No | Exposure route | ATE |
| Amine, C10-14-tert-Alkyl- | | oral | >500 mg/kg |
| Amine, C10-14-tert-Alkyl- | | dermal | 251 mg/kg |
| Amine, C10-14-tert-Alkyl- | | inhalation: vapour | 0,5 mg/l/4h |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | oral | 1.689 mg/kg |

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

| Acute toxicity of components of the mixture | | | | | |
|---|--------------|----------------|----------|--------------|---------|
| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
| Amine, C10-14-tert-Alkyl- | | oral | LD50 | >500 mg/kg | rat |
| Amine, C10-14-tert-Alkyl- | | dermal | LD50 | 251 mg/kg | rat |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | oral | LD50 | 1.689 mg/kg | rat |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | dermal | LD50 | >2.000 mg/kg | rat |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Contains Amine, C10-14-tert-Alkyl-. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Acc. to 1272/2008/EC: Harmful to aquatic life with long lasting effects.
Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 2, obviously hazardous to water (Germany)

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

| Aquatic toxicity (acute) of components of the mixture | | | | | |
|---|--------------|----------|-----------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Amine, C10-14-tert-Alkyl- | | LC50 | 1,3 mg/l | fish | 96 h |
| Amine, C10-14-tert-Alkyl- | | EC50 | ≤6 mg/l | aquatic invertebrates | 48 h |
| Amine, C10-14-tert-Alkyl- | | ErC50 | 0,44 mg/l | algae | 72 h |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | LC50 | 0,84 mg/l | fish | 96 h |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | EC50 | 0,32 mg/l | aquatic invertebrates | 48 h |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | ErC50 | 0,39 mg/l | algae | 72 h |

| Aquatic toxicity (chronic) of components of the mixture | | | | | |
|---|--------------|----------|-----------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Amine, C10-14-tert-Alkyl- | | EC50 | 63,5 mg/l | microorganisms | 30 min |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | EC50 | 0,24 mg/l | aquatic invertebrates | 21 d |

12.2 Persistence and degradability

Biodegradation

Data are not available.

| Degradability of components of the mixture | | | | | | |
|---|--------------|---------------------------|------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
| Amine, C10-14-tert-Alkyl- | | oxygen depletion | 22 % | 28 d | | ECHA |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | 1213789-63-9 | carbon dioxide generation | 18 % | 6 d | | ECHA |

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

| Degradability of components of the mixture | | | | | | |
|---|--------------|-----------------------|---------------------|------|--------|--------|
| Name of sub- stance | CAS No | Process | Degradation rate | Time | Method | Source |
| C16-18-(even numbered, sat- urated and un- saturated)-al- kylamines | 1213789-63-9 | oxygen deple- tion | 34 % | 5 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components of the mixture | | | | |
|--|--------|-----|---------------------------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| Amine, C10-14-tert-Alkyl- | | | 2,9 (pH value: ~7, 23 °C) | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagegings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

Mineral-based non-chlorinated engine, gear and lubricating oils 13 02 05*

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

SECTION 14: Transport information

- 14.1 UN number or ID number** not subject to transport regulations
- 14.2 UN proper shipping name** not relevant
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments**
The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Relevant provisions of the European Union (EU)

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Seveso Directive

2012/18/EU (Seveso III)

| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
|----|---------------------------------------|---|-------|
| | not assigned | | |

Industrial Emissions Directive (IED)

| | |
|-------------|----------|
| VOC content | 0,2996 % |
|-------------|----------|

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (Austria)

Ordinance on combustible liquids (VbF)

not applicable (mass fraction of liquids with a flash point of more than 100° C or of solids is higher than 30 %)

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK 2 obviously hazardous to water
(water hazard class)

National regulations Switzerland

Ordinance on the incentive tax on volatile organic compounds (VOCV)

The product is exempt from the tax. Product in which the VOC content does not exceed 3 per cent (% by weight).

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) |
|---------|---|--|
| 2.3 | Other hazards: of no significance | Other hazards |
| 2.3 | | Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$. |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$. |
| 3.2 | | Hazardous ingredients: change in the listing (table) |
| 8.1 | Control parameters: This information is not available. | Control parameters: Occupational exposure limit values (Workplace Exposure Limits) this information is not available |
| 8.2 | Type of material: NBR: acrylonitrile-butadiene rubber | Type of material: PE: polyethylene, CR: chloroprene (chlorobutadiene) rubber, IIR: isobutene-isoprene (butyl) rubber |
| 8.2 | Material thickness: 0,4 mm | Material thickness: > 0,35 mm |
| 8.2 | Breakthrough times of the glove material: >240 minutes (permeation: level 5) | Breakthrough times of the glove material: 0,4 mm >120 minutes (permeation: level 4) |

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH),

amended by 2020/878/EU

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

| Section | Former entry (text/value) | Actual entry (text/value) |
|---------|---|---|
| 8.2 | Respiratory protection: In case of inadequate ventilation wear respiratory protection. | Respiratory protection: [In case of inadequate ventilation] wear respiratory protection. Combination filtering device (EN 141). Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown). |
| 12.5 | Results of PBT and vPvB assessment: Data are not available. | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%. |
| 12.6 | Endocrine disrupting properties: None of the ingredients are listed. | Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%. |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| Asp. Tox. | Aspiration hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH),
amended by 2020/878/EU

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| log KOW | n-Octanol/water |
| M-factor | Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| STOT RE | Specific target organ toxicity - repeated exposure |
| STOT SE | Specific target organ toxicity - single exposure |
| SVHC | Substance of Very High Concern |
| TRGS | Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Bettbahnöl CGLP 220

Version number: 4.0
Replaces version of: 28.07.2021 (3)

Revision: 01.03.2023

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H335 | May cause respiratory irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.