

acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name Condorant VG 15

Registration number (REACH)

Not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Lubricants, greases, release products

#### 1.3 Details of the supplier of the safety data sheet

FRIEDRICH SCHARR KG Liebknechtstraße 50 70565 Stuttgart Germany

Telephone: +49 711 7868-0 Telefax: +49 711 7868-489 e-mail: info@scharr.de Website: www.scharr.de

e-mail (competent person) produktsicherheit@scharr.de

## 1.4 Emergency telephone number

 Country
 Name
 Postal code/city
 Telephone

 Germany
 Giftinformation Freiburg
 79106 Freiburg im Breisgau
 +49 (0)761 19240

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
skin sensitisation	1	Skin Sens. 1	H317
aspiration hazard	1	Asp. Tox. 1	H304
hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

## 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word danger

- pictograms

GHS07, GHS08



Germany: en Page: 1 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

- hazard statements

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protec-

tion/....

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container to industrial combustion plant.

- hazardous ingredients for labelling Distillates (petroleum), hydrotreated light par-

affinic, Polysulfides, di-tert-dodecyl, Distillates (petroleum), solvent-dewaxed heavy paraffinic

#### 2.3 Other hazards

of no significance

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

## Hazardous ingredients

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Distillates (petroleum), hydrotreated light par- affinic	CAS No 64742-55-8	25 - < 50	Asp. Tox. 1 / H304	
annic	EC No 265-158-7			•
	Index No 649-468-00-3			
	REACH Reg. No 01-2119487077-29- xxxx			
Polysulfides, di-tert-do- decyl	CAS No 68425-15-0	1-<5	Skin Sens. 1B / H317	<u>(!)</u>
	EC No 270-335-7			•
	REACH Reg. No 01-2119540516-41- xxxx			
2,6-di-tert-butyl-p-cresol	CAS No 128-37-0	<1	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	*
	EC No 204-881-4			•
	REACH Reg. No 01-2119555270-46- xxxx			

Germany: en Page: 2 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Distillates (petroleum), hydrotreated light par- affinic	-	-	2,18 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: dust/mist
Polysulfides, di-tert-do- decyl	-	M-factor (chronic) = 100	-	

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulties. Headache. Vertigo.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Subsequent observance for pneumonia and pulmonary oedema. Supervise the blood circulation.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2), Sand

Unsuitable extinguishing media

Water iet

## 5.2 Special hazards arising from the substance or mixture

Danger of bursting container.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Germany: en Page: 3 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Avoidance of ignition sources.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Provision of sufficient ventilation.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Lagerklasse (storage class according to TRGS 510, 10 (combustible liquids)
 Germany)

#### 7.3 Specific end use(s)

See section 16 for a general overview.

Germany: en Page: 4 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of sub- stance	CAS No	Identifi- er	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Source
AT	2,6-di-tert- butyl-p- cresol	128-37-0	MAK		10			GKV
СН	2,6-di-tert- butyl-p- cresol	128-37-0	MAK		10		40	SUVA
СН	Polysulf- ides, di- tert-do- decyl	68425-15-0	MAK		10		40	SUVA
DE	2,6-di-tert- butyl-p- cresol	128-37-0	AGW		10		40	TRGS 900
DE	Polysulf- ides, di- tert-do- decyl	68425-15-0	MAK		5		20	DFG
DE	Polysulf- ides, di- tert-do- decyl	68425-15-0	AGW		5		20	TRGS 900

Notation

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

## Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Polysulfides, di-tert- dodecyl	68425-15-0	DNEL	32,9 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Polysulfides, di-tert- dodecyl	68425-15-0	DNEL	46,7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
2,6-di-tert-butyl-p- cresol	128-37-0	DNEL	3,5 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects
2,6-di-tert-butyl-p- cresol	128-37-0	DNEL	0,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Germany: en Page: 5 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

## Relevant PNECs of components of the mixture

<u>'</u>					
CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
64742-55-8	PNEC	9,33 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	water	short-term (single instance)
68425-15-0	PNEC	66,7 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	water	short-term (single instance)
68425-15-0	PNEC	1 <sup>g</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
68425-15-0	PNEC	3,85 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
68425-15-0	PNEC	0,385 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)
128-37-0	PNEC	16,7 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	water	short-term (single instance)
128-37-0	PNEC	4 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	water	intermittent re- lease
128-37-0	PNEC	0,199 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
128-37-0	PNEC	0,02 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	marine water	short-term (single instance)
128-37-0	PNEC	0,17 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
128-37-0	PNEC	99,6 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
128-37-0	PNEC	9,96 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
128-37-0	PNEC	47,69 <sup>µg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
	64742-55-8  68425-15-0  68425-15-0  68425-15-0  128-37-0  128-37-0  128-37-0  128-37-0  128-37-0  128-37-0	64742-55-8 PNEC  68425-15-0 PNEC  68425-15-0 PNEC  68425-15-0 PNEC  128-37-0 PNEC	point         level           64742-55-8         PNEC         9,33 mg/kg           68425-15-0         PNEC         66,7 mg/kg           68425-15-0         PNEC         1 g/l           68425-15-0         PNEC         3,85 mg/kg           68425-15-0         PNEC         0,385 mg/kg           128-37-0         PNEC         16,7 mg/kg           128-37-0         PNEC         4 μg/l           128-37-0         PNEC         0,199 μg/l           128-37-0         PNEC         0,02 μg/l           128-37-0         PNEC         0,17 mg/l           128-37-0         PNEC         99,6 μg/kg           128-37-0         PNEC         9,96 μg/kg	point         level           64742-55-8         PNEC $9,33  ^{mg}/_{kg}$ aquatic organisms           68425-15-0         PNEC $66,7  ^{mg}/_{kg}$ aquatic organisms           68425-15-0         PNEC $1  ^{g}/_{l}$ aquatic organisms           68425-15-0         PNEC $0,385  ^{mg}/_{kg}$ aquatic organisms           128-37-0         PNEC $16,7  ^{mg}/_{kg}$ aquatic organisms           128-37-0         PNEC $4  ^{\mu g}/_{l}$ aquatic organisms           128-37-0         PNEC $0,199  ^{\mu g}/_{l}$ aquatic organisms           128-37-0         PNEC $0,02  ^{\mu g}/_{l}$ aquatic organisms           128-37-0         PNEC $0,17  ^{mg}/_{l}$ aquatic organisms           128-37-0         PNEC $9,96  ^{\mu g}/_{kg}$ aquatic organisms           128-37-0         PNEC $9,96  ^{\mu g}/_{kg}$ aquatic organisms           128-37-0         PNEC $9,96  ^{\mu g}/_{kg}$ aquatic organisms           128-37-0         PNEC $47,69  ^{\mu g}/_{kg}$ terrestrial organisms	point         level         compartment           64742-55-8         PNEC $9,33  ^{mg}/_{kg}$ aquatic organisms         water           68425-15-0         PNEC $66,7  ^{mg}/_{kg}$ aquatic organisms         sewage treatment plant (STP)           68425-15-0         PNEC $3,85  ^{mg}/_{kg}$ aquatic organisms         freshwater sediment           68425-15-0         PNEC $0,385  ^{mg}/_{kg}$ aquatic organisms         water           128-37-0         PNEC $16,7  ^{mg}/_{kg}$ aquatic organisms         water           128-37-0         PNEC $4  ^{\mu g}/_{l}$ aquatic organisms         freshwater           128-37-0         PNEC $0,199  ^{\mu g}/_{l}$ aquatic organisms         marine water           128-37-0         PNEC $0,17  ^{mg}/_{l}$ aquatic organisms         sewage treatment plant (STP)           128-37-0         PNEC $0,17  ^{mg}/_{l}$ aquatic organisms         freshwater sediment           128-37-0         PNEC $9,96  ^{\mu g}/_{kg}$ aquatic organisms         marine sediment           128-37-0         PNEC $47,69  ^{\mu g}/_{kg}$ aquatic organisms         freshwater sediment           128-37-0

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- type of material

PE: polyethylene, CR: chloroprene (chlorobutadiene) rubber, IIR: isobutene-isoprene (butyl) rubber

- material thickness > 0,35 mm

Germany: en Page: 6 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

- breakthrough times of the glove material

0,4 mm

>120 minutes (permeation: level 4)

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

	- 
Physical state	liquid
Colour	light yellow
Odour	characteristic
Melting point/freezing point	<-20 °C
Boiling point or initial boiling point and boiling range	193,7 °C at 99,8 kPa
Evaporation rate	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	0,6 vol% - 6,5 vol%
Flash point	not determined
Auto-ignition temperature	240 °C
pH (value)	not determined
Kinematic viscosity	15 <sup>mm²</sup> / <sub>s</sub> at 40 °C
Solubility(ies)	not determined

## Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
Vapour pressure	1.300 Pa at 200 °C

Germany: en Page: 7 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

#### Density and/or relative density

Density	0,855 <sup>g</sup> / <sub>cm³</sub> at 15 °C
---------	--

Particle characteristics not relevant (liquid)
--

#### 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	--

### Other safety characteristics

Temperature class (EU, acc. to ATEX)	T3 (maximum permissible surface temperature on the equip-
	ment: 200°C)

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

## 10.5 Incompatible materials

Oxidisers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Germany: en Page: 8 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

## Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Distillates (petroleum), hydrotreated light par- affinic	64742-55-8	inhalation: dust/mist	2,18 <sup>mg</sup> / <sub>l</sub> /4h

## Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Distillates (petroleum), hydro- treated light paraffinic	64742-55-8	oral	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat
Distillates (petroleum), hydro- treated light paraffinic	64742-55-8	inhalation: dust/mist	LC50	2,18 <sup>mg</sup> / <sub>l</sub> /4h	rat
Distillates (petroleum), hydro- treated light paraffinic	64742-55-8	dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rabbit
2,6-di-tert-butyl-p-cresol	128-37-0	oral	LD50	>6.000 <sup>mg</sup> / <sub>kg</sub>	rat
2,6-di-tert-butyl-p-cresol	128-37-0	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

## Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### 11.2 Information on other hazards

There is no additional information.

Germany: en Page: 9 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Acc. to 1272/2008/EC: Harmful to aquatic life with long lasting effects. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 1, slightly hazardous to water (Germany)

## Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	LL50	>100 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	EL50	>10.000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Polysulfides, di-tert- dodecyl	68425-15-0	LL50	>100 <sup>mg</sup> / <sub>l</sub>	fish	96 h
2,6-di-tert-butyl-p- cresol	128-37-0	LC50	>0,57 <sup>mg</sup> / <sub>l</sub>	fish	96 h
2,6-di-tert-butyl-p- cresol	128-37-0	EC50	0,48 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
2,6-di-tert-butyl-p- cresol	128-37-0	ErC50	>0,4 <sup>mg</sup> / <sub>l</sub>	algae	72 h

## Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	LL50	>10.000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
2,6-di-tert-butyl-p- cresol	128-37-0	EC50	0,096 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d

## Biodegradation

Data are not available.

## 12.2 Persistence and degradability

## Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Polysulfides, di-tert-dodecyl	68425-15-0	oxygen deple- tion	0 %	28 d		ECHA

#### 12.3 Bioaccumulative potential

Data are not available.

Germany: en Page: 10 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

	Bioaccumulative potential of	of	components	of the mixture	
Е		_			

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Polysulfides, di-tert-dodecyl	68425-15-0		>20 (20 °C)	
2,6-di-tert-butyl-p-cresol	128-37-0	598,4	5,1	

## 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

**14.1 UN number or ID number** not subject to transport regulations

**14.2 UN proper shipping name** not relevant

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Germany: en Page: 11 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

## **Information for each of the UN Model Regulations**

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes			
	not assigned					

#### **VOC Deco-Paint Directive 2004/42/EC**

VOC content	3,661 %
-------------	---------

#### **Industrial Emissions Directive (IED)**

VOC content	6,051 %
-------------	---------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

**National regulations (Austria)** 

Ordinance on combustible liquids (VbF) not assigned (flash point higher than 100 °C)

**National regulations (Germany)** 

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK 1 slightly hazardous to water (water hazard class)

Germany: en Page: 12 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

## **National regulations Switzerland**

## Ordinance on the incentive tax on volatile organic compounds (VOCV)

The product is exempt from the tax. Product in which the VOC content does not exceed 3 per cent (% by weight).

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW	Workplace exposure limit
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DFG	Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
GKV	Grenzwerteverordnung

Germany: en Page: 13 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SUVA	Grenzwerte am Arbeitsplatz, Suva
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Germany: en Page: 14 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Condorant VG 15**

Version number: 1.0 Date of compilation: 07.07.2022

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Germany: en Page: 15 / 15