

acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023

Replaces version of: 19.07.2021 (1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Registration number (REACH)

Condorant 712 XX

Not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Lubricants, greases, release products

1.3 Details of the supplier of the safety data sheet

FRIEDRICH SCHARR KG Liebknechtstraße 50 70565 Stuttgart Germany

Telephone: +49 711 7868-0 Telefax: +49 711 7868-489 e-mail: info@scharr.de Website: www.scharr.de

e-mail (competent person) produktsicherheit@scharr.de

1.4 Emergency telephone number

Poison centre			
Country	Name	Postal code/city	Telephone
Germany	Giftinformation Freiburg	79106 Freiburg im Bre- isgau	+49 (0)761 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
skin sensitisation	1	Skin Sens. 1	H317
aspiration hazard	1	Asp. Tox. 1	H304
hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word danger

Germany: en Page: 1 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

- pictograms

GHS07, GHS08



- hazard statements

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection

tion/....

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container to industrial combustion plant.

- hazardous ingredients for labelling Lubricating oils (petroleum), C15-30, hydro-

treated neutral oil-based Baseoil, Polysulfides, ditert-dodecyl, Distillates (petroleum), hydro-

treated light paraffinic

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Lubricating oils (petro- leum), C15-30, hydro- treated neutral oil-based	CAS No 72623-86-0	≥ 90	Asp. Tox. 1 / H304	
Baseoil	EC No 276-737-9			•
	Index No 649-482-00-X			
	REACH Reg. No 01-2119474878-16- xxxx			

Germany: en Page: 2 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Distillates (petroleum), hydrotreated light par-	CAS No 64742-55-8	1 - < 5	Asp. Tox. 1 / H304	3
affinic	EC No 265-158-7			•
	Index No 649-468-00-3			
	REACH Reg. No 01-2119487077-29- xxxx			
Polysulfides, di-tert-do- decyl	CAS No 68425-15-0	1 - < 5	Skin Sens. 1B / H317	<u>(!)</u>
	EC No 270-335-7			~
	REACH Reg. No 01-2119540516-41- xxxx			
2,6-di-tert-butyl-p-cresol	CAS No 128-37-0	<1	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	£
	EC No 204-881-4			~
	REACH Reg. No 01-2119555270-46- xxxx			

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Lubricating oils (petro- leum), C15-30, hydro- treated neutral oil-based Baseoil	-	-	2,18 ^{mg} / _l /4h	inhalation: dust/mist
Distillates (petroleum), hydrotreated light par- affinic	-	-	2,18 ^{mg} / _l /4h	inhalation: dust/mist

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Germany: en Page: 3 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Replaces version of: 19.07.2021 (1)

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Revision: 28 06 2023

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulties. Headache. Vertigo.

4.3 Indication of any immediate medical attention and special treatment needed

Subsequent observance for pneumonia and pulmonary oedema. Supervise the blood circulation.

SECTION 5: Firefighting measures

5.1 **Extinguishing media**

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2), Sand

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Danger of bursting container.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Avoidance of ignition sources.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Provision of sufficient ventilation.

6.2 **Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Page: 4 / 19 Germany: en



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023

Replaces version of: 19.07.2021 (1)

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Recommended storage temperature

5 - 40 °C

- Lagerklasse (storage class according to TRGS 510, 10 (combustible liquids)
 Germany)

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of sub- stance	CAS No	Identifi- er	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Source
AT	2,6-di-tert- butyl-p- cresol	128-37-0	MAK		10			GKV
СН	2,6-di-tert- butyl-p- cresol	128-37-0	MAK		10		40	SUVA
СН	Polysulf- ides, di- tert-do- decyl	68425-15-0	MAK		10		40	SUVA
DE	2,6-di-tert- butyl-p- cresol	128-37-0	AGW		10		40	TRGS 900

Germany: en Page: 5 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of sub- stance	CAS No	Identifi- er	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Source
DE	Polysulf- ides, di- tert-do- decyl	68425-15-0	MAK		5		20	DFG
DE	Polysulf- ides, di- tert-do- decyl	68425-15-0	AGW		5		20	TRGS 900

Notation

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Polysulfides, di-tert- dodecyl	68425-15-0	DNEL	32,9 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Polysulfides, di-tert- dodecyl	68425-15-0	DNEL	46,7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
2,6-di-tert-butyl-p- cresol	128-37-0	DNEL	3,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
2,6-di-tert-butyl-p- cresol	128-37-0	DNEL	0,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Lubricating oils (petroleum), C15- 30, hydrotreated neutral oil-based Baseoil	72623-86-0	PNEC	9,33 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Distillates (petro- leum), hydro- treated light par- affinic	64742-55-8	PNEC	9,33 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Polysulfides, di-tert- dodecyl	68425-15-0	PNEC	66,7 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Polysulfides, di-tert- dodecyl	68425-15-0	PNEC	1 ^g / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Polysulfides, di-tert- dodecyl	68425-15-0	PNEC	3,85 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)

Germany: en Page: 6 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Polysulfides, di-tert- dodecyl	68425-15-0	PNEC	0,385 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
2,6-di-tert-butyl-p- cresol	128-37-0	PNEC	16,7 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
2,6-di-tert-butyl-p- cresol	128-37-0	PNEC	4 ^{µg} / _I	aquatic organ- isms	water	intermittent re- lease
2,6-di-tert-butyl-p- cresol	128-37-0	PNEC	0,199 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
2,6-di-tert-butyl-p- cresol	128-37-0	PNEC	0,02 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
2,6-di-tert-butyl-p- cresol	128-37-0	PNEC	0,17 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
2,6-di-tert-butyl-p- cresol	128-37-0	PNEC	99,6 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
2,6-di-tert-butyl-p- cresol	128-37-0	PNEC	9,96 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
2,6-di-tert-butyl-p- cresol	128-37-0	PNEC	47,69 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- type of material

PE: polyethylene, CR: chloroprene (chlorobutadiene) rubber, IIR: isobutene-isoprene (butyl) rubber

- material thickness > 0,35 mm

- breakthrough times of the glove material 0,4 mm

>120 minutes (permeation: level 4)

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Germany: en Page: 7 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Replaces version of: 19.07.2021 (1) Revision: 28.06.2023

Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Combination filtering device (EN 141). Type: A (against organic gases and vapours with a boiling point of $> 65 \, ^{\circ}\text{C}$, colour code: Brown).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow
Odour	characteristic
Melting point/freezing point	<-30 °C at 1.013 mPa
Boiling point or initial boiling point and boiling range	not determined
Evaporation rate	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	0,6 vol% - 6,5 vol%
Flash point	190 °C
Auto-ignition temperature	≥225 °C
pH (value)	not determined
Kinematic viscosity	10,4 ^{mm²} / _s at 40 °C
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value) this information is not available	Partition coefficient n-octanol/water (log value)	this information is not available
---	---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	0,834 ^g / _{cm³} at 20 °C

Germany: en Page: 8 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023

Replaces version of: 19.07.2021 (1)

Particle characteristics	not relevant (liquid)
Other information	
Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	
Solid content	0,5 %
Temperature class (EU, acc. to ATEX)	T3 (maximum permissible surface temperature on the equip-

ment: 200°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Germany: en Page: 9 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Lubricating oils (petroleum), C15-30, hydro- treated neutral oil-based Baseoil	72623-86-0	inhalation: dust/mist	2,18 ^{mg} / _l /4h
Distillates (petroleum), hydrotreated light par- affinic	64742-55-8	inhalation: dust/mist	2,18 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Baseoil	72623-86-0	oral	LD50	>5.000 ^{mg} / _{kg}	rat
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Baseoil	72623-86-0	inhalation: dust/mist	LC50	2,18 ^{mg} / _l /4h	rat
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Baseoil	72623-86-0	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit
Distillates (petroleum), hydro- treated light paraffinic	64742-55-8	oral	LD50	>5.000 ^{mg} / _{kg}	rat
Distillates (petroleum), hydro- treated light paraffinic	64742-55-8	inhalation: dust/mist	LC50	2,18 ^{mg} / _l /4h	rat
Distillates (petroleum), hydro- treated light paraffinic	64742-55-8	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit
2,6-di-tert-butyl-p-cresol	128-37-0	oral	LD50	>6.000 ^{mg} / _{kg}	rat
2,6-di-tert-butyl-p-cresol	128-37-0	dermal	LD50	>2.000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Germany: en Page: 10 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Acc. to 1272/2008/EC: Harmful to aquatic life with long lasting effects. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 1, slightly hazardous to water (Germany)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Lubricating oils (petro- leum), C15-30, hydro- treated neutral oil- based Baseoil	72623-86-0	LL50	>100 ^{mg} / _l	fish	96 h
Lubricating oils (petro- leum), C15-30, hydro- treated neutral oil- based Baseoil	72623-86-0	EL50	>10.000 ^{mg} / _I	aquatic invertebrates	24 h
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	LL50	>100 ^{mg} / _l	fish	96 h
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	EL50	>10.000 ^{mg} / _l	aquatic invertebrates	24 h
Polysulfides, di-tert- dodecyl	68425-15-0	LL50	>100 ^{mg} / _l	fish	96 h
2,6-di-tert-butyl-p- cresol	128-37-0	LC50	>0,57 ^{mg} / _l	fish	96 h
2,6-di-tert-butyl-p- cresol	128-37-0	EC50	0,48 ^{mg} / _l	aquatic invertebrates	48 h
2,6-di-tert-butyl-p- cresol	128-37-0	ErC50	>0,4 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Lubricating oils (petro- leum), C15-30, hydro- treated neutral oil- based Baseoil	72623-86-0	LL50	>10.000 ^{mg} / _I	aquatic invertebrates	24 h

Germany: en Page: 11 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Lubricating oils (petro- leum), C15-30, hydro- treated neutral oil- based Baseoil	72623-86-0	EL50	>1.000 ^{mg} / _l	microorganisms	40 h
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	LL50	>10.000 ^{mg} / _l	aquatic invertebrates	24 h
2,6-di-tert-butyl-p- cresol	128-37-0	EC50	0,096 ^{mg} / _l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable. Data are not available.

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Lubricating oils (petroleum), C15-30, hydro- treated neut- ral oil-based Baseoil	72623-86-0	oxygen deple- tion	57,5 %	28 d		ECHA
Polysulfides, di-tert-dodecyl	68425-15-0	oxygen deple- tion	0 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Polysulfides, di-tert-dodecyl	68425-15-0		>20 (20 °C)	
2,6-di-tert-butyl-p-cresol	128-37-0	598,4	5,1	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

Germany: en Page: 12 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

Mineral-based non-chlorinated engine, gear and lubricating oils 13 02 05*

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 Old Hulliber of 1D Hulliber	14.1	UN number or ID number	per not subject to transport regulation	ns
----------------------------------	------	------------------------	--	----

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.

Germany: en Page: 13 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023

Replaces version of: 19.07.2021 (1)

SECTION 15: Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions according to REACH, Annex XVII

Relevant provisions of the European Union (EU)

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Condorant 712 XX	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3

Legend

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and
- present an aspiration hazard and are labelled with H304.
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even suck-

ing the wick of lamps – may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';

(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier require- ments	Notes	
	not assigned			

Industrial Emissions Directive (IED)

VOC content	3 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Germany: en Page: 14 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023

Replaces version of: 19.07.2021 (1)

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	CAS No	Listed in	Remarks
Lubricating oils (petroleum), C15-30, hydro- treated neutral oil-based Baseoil		a)	

Legend

A) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (Austria)

Ordinance on combustible liquids (VbF)

not applicable (mass fraction of liquids with a flash point of more than 100° C or of solids is higher than 30 %)

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK (water hazard class)

1 slightly hazardous to water

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concen- tration	Notation
5.2.5	organic substances	class I	1 – < 5 wt%	0,1 ^{kg} / _h	20 ^{mg} / _{m³}	3)
5.2.5	organic substances		≥ 25 wt%	0,5 ^{kg} / _h	50 ^{mg} / _{m³}	3)

Notation

National regulations Switzerland

Ordinance on the incentive tax on volatile organic compounds (VOCV)

VOC content (object of taxation): 90 %

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.1		Classification according to Regulation (EC) No 1272/ 2008 (CLP): change in the listing (table)
2.2		- pictograms: change in the listing (table)

Germany: en Page: 15 / 19

³⁾ a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

	07.2021 (1)	
Section	Former entry (text/value)	Actual entry (text/value)
2.2		- hazard statements: change in the listing (table)
2.2		- precautionary statements: change in the listing (table)
2.2	- hazardous ingredients for labelling: Distillates (petroleum), hydrotreated light paraffinic, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, Polysulfides, di-tert-dodecyl	- hazardous ingredients for labelling: Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Baseoil, Polysulfides, di-tert-do- decyl, Distillates (petroleum), hydrotreated light par- affinic
2.3	Other hazards: of no significance	Other hazards
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.
3.2		Description of the mixture: change in the listing (table)
3.2		Description of the mixture: change in the listing (table)
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)
8.1		Relevant DNELs of components of the mixture: change in the listing (table)
8.1		Relevant PNECs of components of the mixture: change in the listing (table)
8.2	Type of material: NBR: acrylonitrile-butadiene rubber	Type of material: PE: polyethylene, CR: chloroprene (chlorobutadiene) rubber, IIR: isobutene-isoprene (butyl) rubber
8.2	Material thickness: 0,4 mm	Material thickness: > 0,35 mm
8.2	Breakthrough times of the glove material: >240 minutes (permeation: level 5)	Breakthrough times of the glove material: 0,4 mm
		>120 minutes (permeation: level 4)
8.2	Respiratory protection: In case of inadequate ventilation wear respiratory protection.	Respiratory protection: [In case of inadequate ventilation] wear respiratory protection. Combination filtering device (EN 141). Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).
11.1	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful in contact with skin.	Acute toxicity: Shall not be classified as acutely toxic.
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)

Germany: en Page: 16 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Revision: 28.06.2023

Version number: 2.0 Replaces version of: 19.07.2021 (1)

Section	Former entry (text/value)	Actual entry (text/value)
11.1		Acute toxicity of components of the mixture: change in the listing (table)
11.1	Respiratory or skin sensitisation: Shall not be classified as a respiratory or skin sensitiser.	Respiratory or skin sensitisation: May cause an allergic skin reaction.
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)
12.1		Aquatic toxicity (chronic) of components of the mix- ture: change in the listing (table)
12.2	Persistence and degradability: Data are not available.	Persistence and degradability
12.2		Degradability of components of the mixture: change in the listing (table)
12.3		Bioaccumulative potential of components of the mix- ture: change in the listing (table)
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.
14.1	UN number or ID number: not assigned	UN number or ID number: not subject to transport regulations
14.2	UN proper shipping name: not assigned	UN proper shipping name: not relevant
14.7	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information: Not subject to ADR. Not subject to RID.	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information: Not subject to ADR, RID and ADN.

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
AGW	Workplace exposure limit	
Aquatic Acute	Hazardous to the aquatic environment - acute hazard	
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard	
Asp. Tox.	Aspiration hazard	
ATE	Acute Toxicity Estimate	

Germany: en Page: 17 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

Abbr.	Descriptions of used abbreviations	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
COD	Chemical oxygen demand	
DFG	Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
GKV	Grenzwerteverordnung	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality	
log KOW	n-Octanol/water	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	

Germany: en Page: 18 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Condorant 712 XX

Version number: 2.0 Revision: 28.06.2023 Replaces version of: 19.07.2021 (1)

Abbr.	Descriptions of used abbreviations	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
Skin Sens.	Skin sensitisation	
STEL	Short-term exposure limit	
SUVA	Grenzwerte am Arbeitsplatz, Suva	
SVHC	Substance of Very High Concern	
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)	
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Germany: en Page: 19 / 19