

Safety Data Sheet

Condalum BS 210

Versio	n number: 1.0	Date of compilation: 28.07.2021				
SEC	TION 1: Identification of the substance/mixt	ure and of the company/undertaking				
1.1	Product identifier					
	Trade name	Condalum BS 210				
	Registration number (REACH)	Not relevant (mixture)				
1.2	Relevant identified uses of the substance or	mixture and uses advised against				
	Relevant identified uses	Lubricants, greases, release products				
1.3	Details of the supplier of the safety data sheet					
	FRIEDRICH SCHARR KG Liebknechtstraße 50 70565 Stuttgart Germany					
	Telephone: +49 711 7868-0 Telefax: +49 711 7868-489 e-mail: info@scharr.de Website: www.scharr.de					
	e-mail (competent person)	produktsicherheit@scharr.de (Produktsicherheit)				
1.4	Emergency telephone number					
	Emergency information service	+49 711 7868-237 This number is only available during the follow- ing office hours: Mon-Fri 07:00 - 17:00				
	Boison contro					

Poison centre							
Country	Name	Postal code/city	Telephone				
Germany	Germany Giftinformation Freiburg		+49 (0)761 19240				

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP) This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) not required

2.3 Other hazards

of no significance



Version number: 1.0

Date of compilation: 28.07.2021

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Hazardous ingredients

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Polysulfides, di-tert-do- decyl	CAS No 68425-15-0	1-<5	Aquatic Chronic 4 / H413	
	EC No 270-335-7			
	REACH Reg. No 01-2119540516-41- xxxx			
Phosphorodithioic acid, mixed O,O-bis(2-ethyl- hexyl and iso-Bu and pentyl) esters, zinc salts	CAS No 68988-45-4 EC No 273-527-9 REACH Reg. No	1-<5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Chronic 2 / H411	
	01-2119964477-23- xxxx			

Hazardous ingredients acc. to EU regulation, Consideration of other advice

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulties. Headache. Vertigo.

4.3 Indication of any immediate medical attention and special treatment needed

Subsequent observance for pneumonia and pulmonary oedema. Supervise the blood circulation.



Version number: 1.0

Date of compilation: 28.07.2021

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2), Sand

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Danger of bursting container.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2), Phosphorus oxides (PxOy), Sulphur dioxide (SO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Provision of sufficient ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Version number: 1.0

Date of compilation: 28.07.2021

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation
 - Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- specific designs for storage rooms or vessels

- Lagerklasse (storage class according to TRGS 510, 10 (combustible liquids) Germany)

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupa	Occupational exposure limit values (Workplace Exposure Limits)							
Coun- try	Name of sub- stance	CAS No	Identifi- er	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Source
СН	Polysulf- ides, di- tert-do- decyl	68425-15-0	MAK		10		40	SUVA
DE	Polysulf- ides, di- tert-do- decyl	68425-15-0	MAK		5		20	DFG
DE	Polysulf- ides, di- tert-do- decyl	68425-15-0	AGW		5		20	TRGS 900

Notation STFI

TWA

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
Polysulfides, di-tert- dodecyl	68425-15-0	DNEL	32,9 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Polysulfides, di-tert- dodecyl	68425-15-0	DNEL	46,7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	



Version number: 1.0

Date of compilation: 28.07.2021

Relevant DNELs o	of componen	ts of the	mixture			
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Phosphorodithioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	DNEL	6,8 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Phosphorodithioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	DNEL	9,6 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Relevant PNECs o	of componen	ts of the	mixture			
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Polysulfides, di-tert- dodecyl	68425-15-0	PNEC	66,7 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Polysulfides, di-tert- dodecyl	68425-15-0	PNEC	1 ^g / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Polysulfides, di-tert- dodecyl	68425-15-0	PNEC	3,85 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Polysulfides, di-tert- dodecyl	68425-15-0	PNEC	0,385 ^{mg} / ^{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Phosphorodithioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	PNEC	0,002 ^{mg} /l	aquatic organ- isms	freshwater	short-term (single instance)
Phosphorodithioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Phosphorodithioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	PNEC	100 ^{mg} /i	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Phosphorodithioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	PNEC	405,2 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Phosphorodithioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	PNEC	40,52 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Phosphorodithioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	PNEC	486,3 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)



Version number: 1.0

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- type of material

NBR: acrylonitrile-butadiene rubber

- material thickness

0,4 mm

- breakthrough times of the glove material
- >240 minutes (permeation: level 5)
- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light brown
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	193,7 °C at 99,8 kPa
Evaporation rate	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	0,6 vol% - 6,5 vol%
Flash point	>190 °C

Germany: en

Date of compilation: 28.07.2021



Version number: 1.0		Date of compilation: 28.07.2021
	Auto-ignition temperature	240 °C
	pH (value)	not determined
	Kinematic viscosity	95 ^{mm²} / _s at 40 °C
	Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value) this information is not available

Vapour pressure	<0,01 kPa at 20 °C
-----------------	--------------------

Density and/or relative density

Density	0,88 ^g / _{cm³} at 15 °C
---------	---

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	
Temperature class (EU, acc. to ATEX)	T3 (maximum permissible surface temperature on the equip- ment: 200°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Safety Data Sheet

Condalum BS 210

Version number: 1.0

Date of compilation: 28.07.2021

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Phosphorodithioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	oral	LD50	3.600 ^{mg} / _{kg}	rat
Phosphorodithioic acid, mixed O,O- bis(2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	dermal	LD50	13.800 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.



Version number: 1.0

Date of compilation: 28.07.2021

SECTION 12: Ecological information

12.1 Toxicity

Acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 1, slightly hazardous to water (Germany)

Aquatic toxicity (acute) of components of the mixture

	-				
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Polysulfides, di-tert- dodecyl	68425-15-0	LL50	>100 ^{mg} /l	fish	96 h
Phosphorodithioic acid, mixed O,O-bis(2- ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	LC50	46 ^{mg} / _l	fish	96 h
Phosphorodithioic acid, mixed O,O-bis(2- ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	LL50	4,5 ^{mg} / _l	fish	96 h
Phosphorodithioic acid, mixed O,O-bis(2- ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	EC50	5,4 ^{mg} / _l	aquatic invertebrates	48 h
Phosphorodithioic acid, mixed O,O-bis(2- ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	ErC50	2,1 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Phosphorodithioic acid, mixed O,O-bis(2- ethylhexyl and iso-Bu and pentyl) esters, zinc salts	68988-45-4	EC50	>10.000 ^{mg} / _l	microorganisms	3 h

Biodegradation

Data are not available.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.



Version number: 1.0

Date of compilation: 28.07.2021

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance it-self.

Relevant provisions relating to waste

Mineral-based machining oils free of halogens (except emulsions and solutions) 12 01 07*

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECT	TION 14: Transport information	
14.1	UN number or ID number	not subject to transport regulations
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	none
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.



Version number: 1.0

Date of compilation: 28.07.2021

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 **Relevant provisions of the European Union (EU)**

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Seveso Directive

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier require- ments	Notes		
	not assigned				

VOC Deco-Paint Directive 2004/42/EC

VOC content	3,75 %	
	5,75 %	

Industrial Emissions Directive (IED)

VOC content	3,75 %

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (Austria)

Ordinance on combustible liquids (VbF)

not applicable (mass fraction of liquids with a flash point of more than 100° C or of solids is higher than 30 %)

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK 1 slightly hazardous to water

(water hazard class)

National regulations Switzerland

Ordinance on the incentive tax on volatile organic compounds (VOCV)

The product is exempt from the tax. Product in which the VOC content does not exceed 3 per cent (% by weight).

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



Version number: 1.0

Date of compilation: 28.07.2021

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	ADR Accord relatif au transport international des marchandises dangereuses par route (Agreement concern ing the International Carriage of Dangerous Goods by Road)	
AGW	Workplace exposure limit	
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DFG	Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 9 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	



Version number: 1.0

Descriptions of used abbreviations
Predicted No-Effect Concentration
Parts per million
Registration, Evaluation, Authorisation and Restriction of Chemicals
Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Corrosive to skin
Irritant to skin
Short-term exposure limit
Grenzwerte am Arbeitsplatz, Suva
Substance of Very High Concern
Technische Regeln für GefahrStoffe (technical rules for hazardous substances, Germany)
Arbeitsplatzgrenzwerte (TRGS 900)
Time-weighted average
Volatile Organic Compounds
Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.